

Reinforcement Learning for Quantitative Trading

SHUO SUN, Nanyang Technological University, Singapore

RUNDONG WANG, Nanyang Technological University, Singapore

BO AN, Nanyang Technological University, Singapore

Quantitative trading (QT), which refers to the usage of mathematical models and data-driven techniques in analyzing the financial market, has been a popular topic in both academia and financial industry since 1970s. In the last decade, reinforcement learning (RL) has garnered significant interest in many domains such as robotics and video games, owing to its outstanding ability on solving complex sequential decision making problems. RL's impact is pervasive, recently demonstrating its ability to conquer many challenging QT tasks. It is a flourishing research direction to explore RL techniques' potential on QT tasks. This paper aims at providing a comprehensive survey of research efforts on RL-based methods for QT tasks. More concretely, we devise a taxonomy of RL-based QT models, along with a comprehensive summary of the state of the art. Finally, we discuss current challenges and propose future research directions in this exciting field.

CCS Concepts: • **Computing methodologies** → **Machine learning**; • **Applied computing** → **Electronic commerce**; • **Information systems** → **Expert systems**.

Additional Key Words and Phrases: reinforcement learning, quantitative finance, stock market, survey

ACM Reference Format:

Shuo Sun, Rundong Wang, and Bo An. 2023. Reinforcement Learning for Quantitative Trading. 1, 1 (January 2023), 29 pages.

1 INTRODUCTION

Quantitative trading (QT) is a type of market strategy that relies on mathematical and statistical models to automatically identify investment opportunities [19]. With the advent of the AI age, it becomes more popular and accounts for more than 70% and 40% trading volumes, in developed markets (e.g., US) and developing markets (e.g., China), respectively. In general, QT research can be divided into two directions. In the finance community, designing theories and models to understand and explain the financial market is the main focus. The famous capital asset pricing model (CAPM) [115], Almgren-Chriss model [2], Markowitz portfolio theory [89] and Fama & French factor model [38] are a few representative examples. On the other hand, computer scientists apply data-driven machine learning (ML) techniques to analyze financial data [32, 104]. Recently, deep learning [72] becomes an appealing approach owing to not only its stellar performance but also to the attractive property of learning meaningful representations from scratch.

RL is an emerging subfield of ML, which provides a mathematical formulation of learning based control to extract knowledge from trial and error. With the usage of RL, we can train agents with near-optimal behaviour policy through optimizing task-specific reward functions [127]. In the last

Authors' addresses: Shuo Sun, Nanyang Technological University, Singapore, shuo003@e.ntu.edu.sg; Rundong Wang, Nanyang Technological University, Singapore, rundong001@e.ntu.edu.sg; Bo An, Nanyang Technological University, Singapore, boan@ntu.edu.sg.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2023 Association for Computing Machinery.

XXXX-XXXX/2023/1-ART \$15.00

<https://doi.org/>

decade, we have witnessed many significant artificial intelligence (AI) milestones achieved by RL approaches in domains such as Go [119], video games [91], robotics [76] and science [41]. RL-based methods also have achieved state-of-the-art performance on many QT tasks such as algorithmic trading (AT) [87], portfolio management (PM) [139], order execution (OE) [40] and market making (MM) [121]. It is a promising research direction to address QT tasks with RL techniques [3, 43, 134].

1.1 Why Reinforcement Learning for Quantitative Trading?

The overall objective of QT tasks is to maximize long-term profit under certain risk tolerance. Specifically, algorithmic trading makes profit through consistently buying and selling one given financial asset; portfolio management tries to maintain a well-balanced portfolio with weighted proportion of multiple financial assets; order execution aims at fulfilling a specific trading order in time with minimum execution cost; market making provides liquidity to the market and makes profit from the tiny price spread between buy and sell orders. Traditional QT strategies such as momentum [63, 95] and mean reversion [105] methods discover trading opportunities based on heuristic rules. Finance expert knowledge is incorporated to capture the underlying pattern of the financial market. However, rule-based methods exhibit poor generalization ability and only perform well in certain market conditions [30]. Another paradigm is to trade based on signals from financial prediction. Different types of supervised learning methods such as linear models [4, 10], tree-based models [69, 70] and deep neural networks [31, 113] are applied for financial prediction. Nevertheless, the high volatility and noisy nature of the financial market make it extremely hard to predict future price accurately [37]. In addition, there is a noticeable gap between prediction signals and profitable trading actions [109]. Thus, the overall performance of prediction-based methods is not satisfying as well.

To design profitable QT strategies, the advantages of RL methods are four-fold: (i) RL allows training an end-to-end agent, which takes available market information as input state and outputs trading actions directly; (ii) RL-based methods bypass the extremely difficult task to predict future price and optimize overall profit directly; (iii) Task-specific constraints (e.g., transaction cost and slippage) can be imported into RL objectives easily; (iv) RL methods have the potential to generalize to any market condition.

1.2 Difference from Existing Surveys

To the best of our knowledge, this survey is the first comprehensive survey on RL-based quantitative trading applications. Although there are some existing works trying to explore the usage of RL techniques in QT tasks, none of them has provided an in-depth taxonomy of existing works, analyzed current challenges of this research field or proposed future directions in this area. The goal of this survey is to provide a summary of existing RL-based methods for QT applications from both RL algorithm perspective and application domain perspective, to analyze current status of this field, and to point out future research directions.

A number of survey papers on ML in finance have been presented in recent years. For example, Rundo et al. [108] proposed a brief survey on ML for QT. Emerson et al. [36] focused on the trend and applications. Bahrammirzaee [5] introduced hybrid methods in financial applications. Gai et al. [44] proposed a review of Fintech from both ML and general perspectives. Zhang and Zhou [157] discussed about data mining approaches in Fintech. Chalup and Mitschele [18] discussed about kernel methods in financial applications. Agent-based computational finance is the focus of Tesfatsion and Judd [130]. There are also many surveys on deep learning for finance. Wong and Selvi [145] covered early works. Sezer et al. [114] was a recent survey paper with a focus on financial time series forecasting. Ozbayoglu et al. [102] made a survey on the development of DL in

financial applications. Fischer [43] presented a brief review of RL methods in the financial market. Hambly et al. [53] proposed a comprehensive survey on recent advances of RL in finance.

Considering the increasing popularity and potential of RL-based QT applications, a comprehensive survey will be of high scientific and practical values. More than 100 high quality papers are shortlisted and categorized in this survey. Furthermore, we analyze current situation of this area and point out future research directions.

1.3 How Do We Collect Papers?

Google scholar is used as the main search engine to collect relevant papers. In addition, we screened related top conferences such as NeurIPS, ICML, IJCAI, AAAI, KDD, just to name a few, to collect high-quality relevant publications. Moreover, we also collect papers from a new conference focusing on combining AI and finance called ICAIF. Major key words we used are reinforcement learning, quantitative finance, algorithmic trading, portfolio management, order execution, market making, and stock.

1.4 Contribution of This Survey

This survey aims at thoroughly reviewing existing works on RL-based QT applications. We hope it will provide a panorama, which will help readers quickly get a full picture of research works in this field. In conclusion, the main contribution of this survey is three-fold: (i) We propose a comprehensive survey on RL-based QT applications and categorized existing works from different perspectives. (ii) We analyze the advantages and disadvantages of RL techniques for QT and highlight the pathway of current research. (iii) We discuss current challenges and point out future research directions.

1.5 Article Organization

The remainder of this article is organized as follows: Section 2 introduces background of QT. Section 3 provides a brief description of RL. Section 4 discusses the usage of supervised learning methods in QT. Section 5 makes a comprehensive review of RL methods in QT. Section 6 discusses current challenges and open research directions in this area. Section 7 concludes this paper.

2 QUANTITATIVE TRADING BACKGROUND

Before diving into details of this survey, we introduce background knowledge of QT in this section. Fig. 1 illustrates the relationships of the four mainstream QT tasks: algorithmic trading (AT); portfolio management (PM), order execution (OE), market making (MM). In the following section, we first provide a brief overview of financial markets and quantitative trading. Then, we introduce the preliminaries and definition of each QT task in order. A summary of notations is illustrated in Table 1.




Fig. 1. Tree Relationships of different QT Tasks.

2.1 Overview

The financial market, an ecosystem involving transactions between businesses and investors, observed a market capitalization exceeding \$90 trillion globally as of the year 2020.¹ For many countries, the financial industry has become a paramount pillar, which spawns the birth of many

¹<https://data.worldbank.org/indicator/CM.MKTLCAP.CD/>

Notation	Description
h	length of a holding period
\mathbf{p}_i	the time series vector of asset i 's price
$p_{i,t}$	the price of asset i at time t
$p'_{i,t}$	the price of asset i after a holding period h from time t
p_t	the price of a single asset at time t
s_t	position of an asset at time t
u_t^i	trading volume of asset i at time t
\mathbf{n}	the time series vector of net value
n_t	net value at time t
n'_t	net value after a holding period h from time t
w_t^i	portfolio weight of asset i at time t
\mathbf{w}_t	portfolio vector at time t
\mathbf{w}'_t	portfolio vector after a holding period h from time t
v_t	portfolio value at time t
v'_t	portfolio value after a holding period h from time t
f_t^i	transaction fee for asset i at time t
ξ	transaction fee rate
q	the quantity of a limit order
Q	total quantity required to be executed
\mathbf{r}	the time series vector of return rate
r_t	return rate at time t

Table 1. A Summary of Notations

financial centres. The International Monetary Fund (IMF) categorizes financial centres as follows: international financial centres, such as New York, London and Tokyo; regional financial centres, such as Shanghai, Shenzhen and Sydney; offshore financial centres, such as Hong Kong, Singapore and Dublin. At the core of financial centres, trading exchanges, where trading activities involving trillions of dollars take place everyday, are formed. Trading exchanges can be divided as stock exchanges such as NYSE, Nasdaq and Euronext, derivatives exchanges such as CME and cryptocurrency exchanges such as Coinbase and Huobi. Participants in the financial market can be generally categorized as financial intermediaries (e.g., banks and brokers), issuers (e.g., companies and governments), institutional investors (e.g., investment managers and hedge funds) and individual investors. With the development of electronic trading platform, quantitative trading, which has been demonstrated quite profitable by many leading trading companies (e.g., Renaissance, Two Sigma, Citadel, D.E. Shaw), is becoming a dominating trading style in the global financial markets. In 2020, quantitative trading accounts for over 70% and 40% trading volume in developed market (e.g., US and Europe) and emerging market (e.g., China and India) respectively.² We introduce some basic QT concepts as follows:

- **Financial Asset.** A financial asset refers to a liquid asset, which can be converted into cash immediately during trading time. Classic financial assets include stocks, futures, bonds, foreign exchanges and cryptocurrencies.
- **Holding Period.** Holding period h refers to the time period where traders just hold the financial assets without any buying or selling actions.
- **Asset Price.** The price of a financial asset i is defined as a time series $\mathbf{p}_i = \{p_{i,1}, p_{i,2}, p_{i,3}, \dots, p_{i,t}\}$, where $p_{i,t}$ denotes the price of asset i at time t . $p'_{i,t}$ is the price of asset i after a holding period h from time t . p_t is used to denote the price at time t when there is only one financial asset.

²<https://therobusttrader.com/what-percentage-of-trading-is-algorithmic/>

- **OHLC.** OHLC is the abbreviation of open price, high price, low price and close price. The candle stick, which is consisted of OHLC, is widely used to analyze the financial market.
- **Volume.** Volume is the amount of a financial asset that changes hands. u_t^i is the trading volume of asset i at time t .
- **Technical Indicator.** A technical indicator indicates a feature calculated by a formulaic combination of OHLC and volume. Technical indicators are usually designed by finance experts to uncover the underlying pattern of the financial market.
- **Return Rate.** Return rate is the percentage change of capital, where $r_t = (p_{t+1} - p_t)/p_t$ denotes the return rate at time t . The time series of return rate is denoted as $\mathbf{r} = (r_1, r_2, \dots, r_t)$.
- **Transaction Fee.** Transaction fee is the expenses incurred during trading financial assets: $f_t^i = p_{i,t} \times u_t^i \times \xi$, where ξ is the transaction fee rate.
- **Liquidity.** Liquidity refers to the efficiency with which a financial asset can be converted into cash without having an evident impact on its market price. Cash itself is the asset with the most liquidity.

Trading Style	Time Frame	Holding Period
Position trading	Long term	Months to years
Swing trading	Medium term	Days to weeks
Day trading	Short term	Within a trading day
Scalping trading	Short term	Seconds to minutes
High-frequency trading	Extreme short term	Milliseconds to seconds

Table 2. A Summary of Algorithmic Trading Styles

2.2 Algorithmic Trading

Algorithmic trading (AT) refers to the process that traders consistently buy and sell one given financial asset to make profit. It is widely applied in trading stocks, commodity futures and foreign exchanges. For AT, time is splitted as discrete time steps. At the beginning of a trading period, traders are allocated some cash and set net value as 1. Then, at each time step t , traders have the options to buy, hold or sell some amount of shares for changing positions. Net value and position is used to represent traders' status at each time step. The objective of AT is to maximize the final net value at the end of the trading period. Based on trading styles, algorithmic trading is generally divided into 5 categories: position trading, swing trading, day trading, scalp trading and high-frequency trading. Specifically, position trading involves holding the financial asset for a long period of time, which is unconcerned with short-term market fluctuations and only focuses on the overarching market trend. Swing trading is a medium-term style that holds financial assets for several days or weeks. The goal of swing trading is to spot a trend and then capitalise on dips and peaks that provide entry points. Day trading tries to capture the fleeting intraday pattern in the financial market and all positions will be closed at the end of the day to avoid overnight risk. Scalping trading aims at discovering micro-level trading opportunities and makes profit by holding financial assets for only a few minutes. High-frequency trading is a type of trading style characterized by high speeds, high turnover rates, and high order-to-trade. A summary of different trading styles is illustrated in Table. 2.

Traditional AT methods discover trading signals based on technical indicators or mathematical models. Buy and Hold (BAH) strategy, which invests all capital at the beginning and holds until the end of the trading period, is proposed to reflect the average market condition. Momentum strategies, which assumes the trend of financial assets in the past has the tendency to continue in the future, are another well-known AT strategies. Buying-Winner-Selling-Loser [63], Times

Series Momentum [95] and Cross Sectional Momentum [20] are three classic momentum strategies. In contrast, mean reversion strategies such as Bollinger bands [13] assume the price of financial assets will finally revert to the long-term mean. Although traditional methods somehow capture the underlying patterns of the financial market, these simple rule-based methods exhibit limited generalization ability among different market conditions. We introduce some basic AT concepts as follows:

- **Position.** Position s_t is the amount of a financial asset owned by traders at time t . It represents a long (short) position when s_t is positive (negative).
- **Long Position.** Long position makes positive profit when the price of the asset increases. For long trading actions, which buy a financial asset i at time t first and then sell it at $t + 1$, the profit is $u_t^i(p_{i,t+1} - p_{i,t})$, where u_t^i is the buying volume of asset i at time t .
- **Short Position.** Short position makes positive profit when the price of the asset decreases. For short trading actions, which buys a financial asset at time t first and then sell it at $t + 1$, the profit is $u_t^i(p_{i,t} - p_{i,t+1})$.
- **Net Value.** Net value represents a fund's per share value. It is defined as a time series $\mathbf{n} = \{n_1, n_2, \dots, n_t\}$, where n_t denotes the net value at time t . The initial net value is always set to 1.

2.3 Portfolio Management

Portfolio management (PM) is a fundamental QT task, where investors hold a number of financial assets and reallocate them periodically to maximize long-term profit. In the literature, it is also called portfolio optimization, portfolio selection and portfolio allocation. In the real market, portfolio managers work closely with traders, where portfolio managers assign a percentage weighting to every stock in the portfolio periodically and traders focus on finishing portfolio reallocation at the favorable price to minimize the trading cost. For PM, time is splitted into two types of periods: holding period and trading period as shown in Figure 2. At the beginning of a holding period, the agent holds a portfolio \mathbf{w}_t consists of pre-selected financial assets with a corresponding portfolio value v_t . With the fluctuation of the market, the assets' prices would change during the holding period. At the end of the holding period, the agent will get a new portfolio value v'_t and decide a new portfolio weight \mathbf{w}_{t+1} of the next holding period. During the trading period, the agent buys or sells some shares of assets to achieve the new portfolio weights. The lengths of the holding period and trading period are based on specific settings and can change over time. In some previous works, the trading period is set to 0, which means the change of portfolio weight is achieved immediately for convenience. The objective is to maximize the final portfolio value given a long time horizon.

PM has been a fundamental problem for both finance and ML community for decades. Existing approaches can be grouped into four major categories, which are benchmarks such as Constant Rebalanced Portfolio (CRP) and Uniform Constant Rebalanced Portfolio (UCRP) [25], Follow-the-Winner approaches such as Exponential Gradient (EG) [54] and Winner [45], Follow-the-Loser approaches such as Robust Mean Reversion (RMR) [59], Passive Aggressive Online Learning (PAMR) [79] and Anti-Correlation [14], Pattern-Matching-based approaches such as correlation-driven nonparametric learning (CORN) [78] and B^K [51], and Meta-Learning algorithms such as Online Newton Step (ONS). The readers can check this survey [77] for more details. We introduce some basic PM concepts as follows:

- **Portfolio.** A portfolio can be represented as:

$$\mathbf{w}_t = [w_t^0, w_t^1, \dots, w_t^M]^T \in R^{M+1} \quad \text{and} \quad \sum_{i=0}^M w_t^i = 1$$




Fig. 2. Portfolio Management Process

where $M+1$ is the number of portfolio's constituents, including one risk-free asset, i.e., cash, and M risky assets. w_t^i represents the ratio of the total portfolio value (money) invested at the beginning of the holding period t on asset i . Specifically, w_t^0 represents the cash in hand.

- **Portfolio Value.** We define v_t and v'_t as portfolio value at the beginning and end of the holding period. So we can get the change of portfolio value during the holding period and the change of portfolio weights:

$$v'_t = v_t \sum_{i=0}^M \frac{w_t^i p'_{i,t}}{p_{i,t}} \quad w'_t = \frac{\frac{w_t^i p'_{i,t}}{p_{i,t}}}{\sum_{i=0}^M \frac{w_t^i p'_{i,t}}{p_{i,t}}} \quad \text{for } i \in [0, M]$$

2.4 Order Execution

While adjusting new portfolio, investors need to buy (or sell) some amount of shares by executing an order of liquidation (or acquirement). Essentially, the objectives of order execution are two-fold: it does not only require to fulfill the whole order but also targets a more economical execution with maximizing profit (or minimizing cost). As mentioned in [16], the major challenge of order execution lies in the trade-off between avoiding harmful market impact caused by large transactions in a short period and restraining price risk, which means missing good trading windows due to slow execution. Traditional OE solutions are usually designed based on some stringent assumptions of the market and then derive some model-based methods with stochastic control theory.

For instance, Time Weighted Average Price (TWAP) evenly splits the whole order and execute at each time step with the assumption that the market price follows the Brownian motion [9]. The Almgren-Chriss model [2] incorporates temporary and permanent price impact functions also with the Brownian motion assumption. Volume Weighted Average Price (VWAP) distributes orders in proportion to the (empirically estimated) market transaction volume. The goal of VWAP is to track the market average execution price [67]. However, traditional solutions are not effective in the real market because of the inconsistency between the assumptions and reality.




Fig. 3. A Snapshot of Limit Order Book.

Formally, OE is to trade fixed amount of shares within a predetermined time horizon (e.g., one hour or one day). At each time step t , traders can propose to trade a quantity of $q_t \geq 0$ shares at current market price p_t . The matching system will then return the execution results at time $t + 1$. Taking the sell side as an example, assuming a total of Q shares required to be executed during the

whole time horizon, the OE task can be formulated as:

$$\arg \max_{q_1, q_2, \dots, q_T} \sum_{t=1}^T (q_t \cdot p_t), \quad \text{s.t.} \quad \sum_{t=1}^T q_t = Q$$

OE not only completes the liquidation requirement but also the maximize/minimize average execution price for the sell/buy side execution respectively. We introduce basic OE concepts as follows:

- **Market Order.** A market order refers submitting an order to buy or sell a financial asset at the current market price, which expresses the desire to trade at the best available price immediately.
- **Limit Order.** A limit order is an order placed to buy or sell a number of shares at a specified price during a specified time frame. It can be modeled as a tuple $p_{target} \pm q_{target}$, where p_{target} represents the submitted target price, q_{target} represents the submitted target quantity, and \pm represents trading direction (buy/sell)
- **Limit Order Book.** A limit order book (LOB) is a list containing all the information about the current limit orders in the market. An example of LOB is shown in Figure 3.
- **Average Execution Price** Average execution price (AEP) is defined as $\bar{p} = \sum_{t=1}^T \frac{q_t}{Q} \cdot p_t$.
- **Order Matching System.** The electronic system that matches buy and sell orders for a financial market is called the order matching system. The matching system is the core of all electronic exchanges, which decides the execution results of orders in the market. The most common matching mechanism is first-in-first-out, which means limit orders at the same price will be executed in the order in which the orders were submitted.

2.5 Market Making

Market makers are traders who continually quote prices at which they are willing to trade on both buy and sell side for one financial asset. They provide liquidity and make profit from the tiny price spread between buy and sell orders. The main challenge for market making is non-zero inventory. When we submit a limit order on both sides, there is no guarantee that all the orders can be successfully executed. It is risky when non-zero inventory accumulates to a high level because this means market maker will have to close the inventory by current market price, which could lead to a significant loss. In practice, some market makers keep their inventory at low-level to avoid market exposure and only make profits by repeatedly making their quoted spread. On the other hand, some more advanced market makers may choose to hold a non-zero inventory to capture the market trend, while exploiting the quoted spread simultaneously. Traditional finance methods consider market making as a stochastic optimal control problem [17]. Agent-based method [47] and RL [121] have also been applied to market making.

2.6 Evaluation Metrics

In this subsection, we discuss common profit metrics, risk metrics and risk-adjusted metrics for evaluation in this field.

2.6.1 Profit Metrics.

- **Profit rate (PR).** PR is the percent change of net value over time horizon h . The formal definition is:

$$PR = (n_{t+h} - n_t) / n_t$$

- **Win rate (WR).** WR evaluates the proportion of trading days with positive profit among all trading days.

2.6.2 Risk Metrics.

- **Volatility (VOL).** VOL is the variance of the return vector \mathbf{r} . It is widely used to measure the uncertainty of return rate and reflects the risk level of strategies. The formal definition is:

$$VOL = \sigma[\mathbf{r}]$$

- **Maximum drawdown (MDD).** MDD [88] measures the largest decline from the peak in the whole trading period to show the worst case. The formal definition is:

$$MDD = \max_{\tau \in (0, t)} \left[\max_{t \in (0, \tau)} \frac{n_t - n_\tau}{n_t} \right]$$

- **Downside deviation (DD).** DD refers to the standard deviation of trade returns that are negative.
- **Gain-loss ratio (GLR).** GLR is a downside risk measure. It represents the relative relationship of trades with a positive return and trades with a negative return. The formula is:

$$GLR = \frac{\mathbb{E}[\mathbf{r} | \mathbf{r} > 0]}{\mathbb{E}[-\mathbf{r} | \mathbf{r} < 0]}$$

2.6.3 Risk-adjusted Metrics.

- **Sharpe ratio (SR).** SR [116] is a risk-adjusted profit measure, which refers to the return per unit of deviation:

$$SR = \frac{\mathbb{E}[\mathbf{r}]}{\sigma[\mathbf{r}]}$$

- **Sortino ratio (SoR).** SoR is a variant of risk-adjusted profit measure, which applies DD as risk measure:

$$SoR = \frac{\mathbb{E}[\mathbf{r}]}{DD}$$

- **Calmar ratio (CR).** CR is another variant of risk-adjusted profit measure, which applies MDD as risk measure:

$$CR = \frac{\mathbb{E}[\mathbf{r}]}{MDD}$$

3 OVERVIEW OF REINFORCEMENT LEARNING

RL is a popular subfield of ML that studies complex decision making problems. Sutton and Barto [127] distinguish RL problems by three key characteristics: (i) the problem is closed-loop. (ii) the agent figures out what to do through trial-and-error. (iii) actions have an impact on both short term and long term results. The decision maker is called agent and the environment is everything else except the agent. At each time step, the agent obtains some observations of the environment, which is called state. Later on, the agent takes an action based on the current state. The environment will then return a reward and a new state to the agent. Formally, an RL problem is typically formulated as a Markov decision process (MDP) in the form of a tuple $\mathcal{M} = (S, A, R, P, \gamma)$, where S is a set of states $s \in S$, A is a set of actions $a \in A$, R is the reward function, P is the transition probability, and γ is the discount factor. The goal of an RL agent is to find a policy $\pi(a | s)$ that takes action $a \in A$ in state $s \in S$ in order to maximize the expected discounted cumulative reward:

$$\max \mathbb{E}[R(\tau)], \text{ where } R(\tau) = \sum_{t=0}^{\tau} \gamma^t r(a_t, s_t) \text{ and } 0 \leq \gamma \leq 1$$

Sutton and Barto [127] summarise RL's main components as: (i) policy, which refers to the probability of taking action a when the agent is in state s . From policy perspective, RL algorithms are categorized into on-policy and off-policy methods. The goal of on-policy RL methods is to

evaluate or improve the policy, which they are now using to make decisions. As for off-policy RL methods, they aim at improving or evaluating the policy that is different from the one used to generate data. (ii) reward: after taking selected actions, the environment sends back a numerical signal reward to inform the agent how good or bad are the actions selected. (iii) value function, which means the expected return if the agent starts in that state s or state-action pair (s, a) , and then acts according to a particular policy π consistently. Value function tells how good or bad the agent's current position is in the long run. (iv) model, which is an inference about the behaviour of the environment in different states.

Plenty of algorithms have been proposed to solve RL problems. Tabular methods and approximation methods are two mainstream directions. For tabular algorithms, a table is used to represent the value function for every action and state pair. The exact optimal policy can be found through checking the table. Due to the curse of dimensionality, tabular methods only work well when the action and state space is small. Dynamic programming (DP), Monte Carlo (MC) and temporal difference (TD) are a few widely studied tabular methods. Under perfect model of environment assumption, DP uses a value function to search for good policies. Policy iteration and value iteration are two classic DP algorithms. MC methods try to learn good policies through sample sequences of states, actions, and reward from the environment. For MC methods, the assumption of perfect environment understanding is not required. TD methods are a combination of DP and MC methods. While they do not need a model from the environment, they can bootstrap, which is the ability to update estimates based on other estimates. From this family, Q-learning [142] and SARSA [107] are popular algorithms, which belong to off-policy and on-policy methods respectively.

On the other hand, approximation methods try to find a great approximate function with limited computation. Learning to generalize from previous experiences (already seen states) to unseen states is a reasonable direction. Policy gradient methods are popular approximate solutions. REINFORCE [143] and actor-critic [71] are two important examples. With the popularity of deep learning, RL researchers use neural networks as function approximator. DRL is the combination of DL and RL, which lead to great success in many domains [91, 133]. Popular DRL algorithms for QT community include deep Q-network (DQN) [91], deterministic policy gradient (DPG) [120], deep deterministic policy gradient (DDPG) [82], proximal policy optimization (PPO) [112]. Recurrent reinforcement learning (RRL) is another widely used RL approach for QT. "Recurrent" means the previous output is fed into the model as part of the input here. RRL achieves more stable performance when exposed to noisy data such as financial data. In the following of this section, we briefly introduce popular RL algorithms in quantitative trading following [127]:

DQN [91] is a Q-learning algorithm that approximates the state-value function with a deep neural network. It is usually used in conjunction with experience replay to store the episodes steps in memory for off-policy learning. Moreover, the Q-network is optimized towards a frozen target network that is periodically updated make the learning process more stable.

PPO [112] is a policy gradient method, which alternates between sampling data through interaction with the environment to optimize a "surrogate" objective function using stochastic gradient ascent. A novel objective function is proposed to enable multiple epochs of minibatch updates. PPO is easy to implement with better sample complexity and share many benefits of the classic trust region policy optimization.

A2C [90] is a simple and lightweight framework for deep reinforcement learning that uses asynchronous gradient descent for optimization of deep neural network controllers. Instead of experience replay, A2C asynchronously execute multiple agents in parallel, on multiple instances of the environment. This parallelism also decorrelates the agents' data into a more stationary process, since at any given time-step the parallel agents will be experiencing a variety of different states. This simple idea enables a much larger spectrum of fundamental on-policy RL algorithms.

SAC [52] is an off-policy actor-critic method based on the maximum entropy RL framework [165], which maximizes a weight objective of the reward and the policy entropy, to encourage robustness to noise and exploration. For parameter updating, SAC alternates between a soft policy evaluation and a soft policy improvement. At the soft policy evaluation step, a soft Q-function, which is modeled as a neural network with parameters θ , is updated by minimizing the following soft Bellman residual. To handle continuous action spaces, the policy is modeled as a Gaussian with mean and covariance given by neural networks.

DDPG [82] is a model-free off-policy algorithm for learning continuous actions, which combines ideas from DPG and DQN. It uses experience replay and slow-learning target networks from DQN, and it is based on DPG, which can operate over continuous action spaces.

4 SUPERVISED LEARNING FOR QUANTITATIVE TRADING

Supervised learning techniques have been widely used in the pipeline of QT research. In this section, we propose a brief review of research efforts on supervised learning for QT. We introduce existing works from three perspectives: feature engineering, financial forecasting and enhancing traditional methods with ML.

4.1 Feature Engineering

Discovering a series of high-quality features is the foundation of ML algorithms' success. In QT, features, which have the ability to explain and predict future price are also called indicators or alpha factors. Traditionally, alpha factors are designed and tested by finance experts based on domain knowledge. However, this way of mining alpha is very costly and not realistic for individual investors. There are many attempts to automatically discover alpha factors. Alpha101 [68] introduced a set of 101 public alpha factors. Autoalpha [159] combined genetic algorithm and principle component analysis (PCA) to search for alpha factors with low correlation. ADNN [39] proposed an alpha discovery neural network framework for mining alpha factors. In general, it is harmful to feed all available features into ML models directly. Feature selection approaches are applied to reduce irrelevant and redundant features in QT applications [75, 132, 156]. Another paradigm is to use dimension reduction techniques such as PCA [144] and latent Dirichlet allocation (LDA) [131] to extract meaningful features.

4.2 Financial Forecasting

The usage of supervised learning methods in financial forecasting is pervasive. Researchers formulate return prediction as a regression task and price trend prediction as a classification task. Linear models such as linear regression [10], LASSO [103], elastic net [146] are used for financial prediction. Non-linear models including random forest [70], decision tree [6], support vector machine (SVM) [60] and LightGBM [126] outperform linear models owing to their ability to learn non-linear relationships between features. In recent years, deep learning models including multi-layer perceptron (MLP) [31], recurrent neural network (RNN) [113], long short state memory (LSTM) [113], convolutional neural network (CNN) [56] are prevailing owing to their outstanding ability to learn hidden relationship between features. An efficient Mixture-of-Experts framework [124] is proposed to mimic the efficient bottom-up trading strategy design work flow in real-world trading firms.

Besides different ML models, there is also a trend to utilize alternative data for improving prediction performance. For instance, economic news [57], frequency of prices [158], social media [151], financial events [33], investment behaviors [23] and weather information [164] have been used as extra information to learn intrinsic pattern of financial assets. Graph neural networks have

been introduced to model the relationship between stocks [24, 80, 110, 150]. Hybrid methods are also proposed to further improve prediction performance [58, 86].

4.3 Enhancing Traditional Methods with ML

Another research direction is to enhance traditional rule-based methods with ML techniques. Lim et al. [83] enhanced time-series momentum with deep learning. Takeuchi and Lee [129] applied NN to enhance cross section momentum. Chauhan et al. [22] took account uncertainty and look-ahead based on factor models. Alphastock [138] proposed a deep reinforcement attention network to improve the classic buying-winners-and-selling-losers strategy [63]. Gu et al. explore ML techniques' ability on asset pricing. In [49], an autoencoder architecture was proposed for asset pricing. Compared to pure ML methods, these methods keep the original financial insight and have better explainability.

Even though supervised ML methods achieve great success in financial forecasting with the combination of feature engineering techniques, there is still an unignorable gap between accurate prediction and profitable trading actions. RL methods can tackle this obstacle through learning an end-to-end agent, which maps market information into trading actions directly. In the next section, we will discuss notable RL methods for QT tasks and why they are superior to traditional methods.

Category	RL algorithm	Publication
Value-Based	Q-learning	[8, 46, 55, 62, 74, 84, 97–99, 106, 121, 163]
	SARSA	[21, 27, 121, 122]
	DQN	[26, 64, 100, 101, 125, 139, 155, 161]
Policy-Based	Recurrent RL	[29, 30, 34, 92–94, 117, 118, 149]
	REINFORCE	[139]
	PG TRPO	[7, 81, 140, 160, 161] [11, 136]
Actor-Critic	DPG	[65, 66, 87, 153]
	PPO	[26, 40, 81, 85, 152, 155]
	DDPG	[81, 111, 148, 152]
	SAC A2C	[155] [152, 161]
Others	Model-based RL	[50, 154]
	Multi-Agent RL	[61, 73, 74]

Table 3. Publications Based on Different Reinforcement Learning Algorithms

5 REINFORCEMENT LEARNING FOR QUANTITATIVE TRADING

In this section, we present a comprehensive review of notable RL-based methods for QT. We go through existing works across four mainstream QT tasks with a summary table at the end of each subsection.

5.1 Categories of RL-based QT models

In order to provide a bird-eye's view of this field, existing works are classified from different perspectives. Table 3 summarizes existing works from the RL algorithm perspective. Q-learning and recurrent RL are the most popular RL algorithms for QT. Recent trend indicates DRL methods such as DQN, DDPG and PPO outperform traditional RL methods. In addition, we use three pie charts to provide taxonomies of existing works based on financial markets, financial assets and data frequencies. The percentage numbers shown in the pie charts are calculated by dividing the number of papers belonging to each type with the total number of papers. We classify existing

works based on financial markets (illustrated in Figure. 4a). The US market is the most studied market in the literature. Chinese market is getting popular in recent years. The study of European market is mainly in the early era. We classify existing works based on financial assets (illustrated in Figure. 4b). Stock data is used for more than 40% of publications. Stock index is the second popular additional option. There are also some works focusing on cryptocurrency in recent years. We classify existing works based on data frequencies (illustrated in Figure. 4c). About half of papers use day-level data since it is easy to access. For order execution and market making, fine-grained data (e.g., second-level and minute-level) are often used to simulate the micro-level financial market.




Fig. 4. Categorization of Existing Works

5.2 RL in Algorithmic Trading

Algorithmic trading refers to trade one particular financial asset with signals generated automatically by computer programs. It has been widely applied in trading all kinds of financial assets. In this subsection, we will present a review of most RL-based algorithmic trading papers dating back to 1990s.

Policy-based methods. To tackle the limitations of supervised learning methods, Moody and Wu [93] made the first attempt to apply RL in algorithmic trading. In this paper, an agent is trained with recurrent RL (RRL) to optimize the overall profit directly. A novel evaluation metrics called Differential Sharpe Ratio is designed as the optimization objective to improve the performance. Empirical study on artificial price data shows that it outperforms previous forecasting-based methods. Based on the same algorithm, further experiments are conducted using monthly S&P stock index data [94] and US Dollar/British Pound exchange data [92]. As an extension of RRL [93], Dempster and Leemans [29] proposed an adaptive RRL framework with three layers. Layer one adds 14 technical indicators as extra market information. Layer two evaluates trading actions from layer one with consideration of risk factors. The goal of layer three is to search for optimal values of hyperparameters in layer two. With the three-layer architecture, it outperforms baselines on Eur/US Dollar exchange data. Vittori et al. [136] proposed a risk-averse algorithm called Trust Region Volatility Optimization (TRVO) for option hedging. TRVO trains a sheaf of agents characterized by different risk aversion methods and is able to span an efficient frontier on the volatility-p&l space. Simulation results demonstrate that TRVO outperforms the classic Black & Scholes delta hedge [12].

Reference	RL method	Data Source	Asset Type	Market	Data frequency
[93]	RRL	-	Artificial	-	-
[94]	RRL	-	Stock Index	USA	1 Month
[46]	Q-learning	Hand-Crafted	FX	-	1 Day
[92]	RRL	Lagged Return	FX	-	30 Min
[74]	Multi-agent RL	Hand-Crafted	Stock Index	Korea	-
[62]	Q-learning	Hand-Crafted	Stock Index	Korea	-
[29]	RRL	Lagged Return Technical Indicator	FX	-	1 Min
[8]	Q-learning	Lagged Return	Artificial Stock	- Italy	- 1 Day
[30]	RRL	Price	Stock Index Commodity	China	1 Min
[118]	RRL	Lagged Return	Stock Index	China	1 Min
[64]	DQN	Lagged Return	Stock Index	USA, Hong Kong Europe, Korea	1 Day
[27]	SARSA	OHLC, Technical Indicator	Stock	Brazil	15 Min
[87]	DDPG	OHLC, Technical Indicator	Stock Index	China	1 Min
[136]	TRPO	Hand-crafted	Artificial	-	-
[161]	DQN, PG, A2C	Price, Lagged Return Technical Indicators	Stock Index Commodity	-	-
[155]	PPO, DQN, SAC	OHLC	Stock	China	1 Day
[125]	DQN	Price Order Book	Stock Index Treasury Bond	China	1 Min
[106]	Q-learning	-	FX	-	1 Min

Table 4. Summary of RL for Algorithmic Trading

With the development of deep learning, a few DRL methods are proposed for algorithmic trading. FDDR [30] enhanced the classic RRL method [94] with deep neural networks. An RNN layer is used to learn meaningful recurrent representations of the market. In addition, a fuzzy extension is proposed to further reduce the uncertainty. FDDR achieves great performance on both stock index and commodity futures. To balance between profit and risk, a multi-objective RL method with LSTM layers [118] is proposed. Through optimizing profit and Sharpe Ratio simultaneously, the agent achieves better performance on 3 Chinese stock index futures.

Value-based methods. QSR [46] uses Q-learning to optimize absolute profit and relative risk-adjusted profit respectively. A combination of two networks is employed to improve performance on US Dollar/German Deutschmark exchange data. Lee and Jangmin [74] proposed a multi-agent Q-learning framework for stock trading. Four cooperative agents are designed to generate trading signals and order prices for both buy and sell side. Through sharing training episodes and learned policies with each other, this method achieves better performance in terms of both profit and risk management on the Korea stock market compared to supervised learning baselines. In [62], the authors firstly design some local traders based on dynamic programming and heuristic rules. Later on, they apply Q-learning to learn a meta policy of these local traders on Korea stock markets. de Oliveira et al. [27] implemented a SARSA-based RL method and tested it on 10 stocks in the Brazil market.

DQN is used to enhance trading systems by considering trading frequencies, market confusion and transfer learning [64]. The trading frequency is determined in 3 ways: (1) a heuristic function related to Q-value, (2) an action-dependent NN regressor, and (3) an action-independent NN regressor. Another heuristic function is applied to add a filter as the agent's certainty on market condition. Moreover, the authors train the agent on selected component stocks and apply the

pre-train weights as the starting point for different stock indexes. Experiments on 4 different stock indexes demonstrate the effectiveness of the proposed framework. DeepScalper [125] applied branch dueling Q-network [141] for intraday trading. An encoder-decoder architecture is proposed to learn market embedding incorporating both micro-level and macro-level market information. A novel hindsight bonus is added in the reward function to encourage long-term horizon. The authors also design an auxiliary task by predicting future volatility. DeepScalper significantly outperforms many baselines on Chinese treasury bond and stock index markets. Riva et al. [106] proposed a value-based RL algorithm to train agents for FX trading via fitted-Q iteration. The importance of tuning control frequency is studied in order to obtain effective trading policies.

Other methods. iRDPG [87] is an adaptive DPG-based framework. Due to the noisy nature of financial data, the authors formulate algorithmic trading as a Partially Observable Markov Decision Process (POMDP). GRU layers are introduced in iRDPG to learn recurrent market embedding. In addition, the authors apply behavior cloning with expert trading actions to guide iRDPG and achieve great performance on two Chinese stock index futures. There are also some works focusing on evaluating the performance of different RL algorithms on their own data. Zhang et al. [161] evaluated DQN, PG and A2C on the 50 most liquid futures contracts. Yuan et al. [155] tested PPO, DQN and SAC on three selected stocks. Based on these two works, DQN achieves the best overall performance among different financial assets.

Summary. Although existing works demonstrate the potential of RL for quantitative trading, there is seemingly no consensus on a general ranking of different RL algorithms (notably, we acknowledge that *no free lunch theorem* exists). The summary of algorithmic trading publications is in Table 4. In addition, most existing RL-based works only focus on general AT, which tries to make profit through trading one asset. In finance, extensive trading strategies have been designed based on trading frequency (e.g., high-frequency trading) and asset types (e.g., stock and cryptocurrency).

5.3 RL in Portfolio Management

Portfolio management, which studies the art of balancing between a collection of different financial assets, has become a popular topic for RL researchers. In this subsection, we will survey on most notable existing works on RL-based portfolio management.

Policy-based methods. Since a portfolio is essentially a weight distribution among different financial assets, policy-based methods are the most widely applied RL methods for PM. Almahdi and Yang [1] proposed an RRL-based algorithm for portfolio management. Maximum drawdown is applied as the objective function to measure downside risk. In addition, an adaptive version is designed with a transaction cost and market condition stop-loss retraining mechanism. In order to extract information from historical trading records, Investor-Imitator [34] formalizes the trading knowledge by imitating the behavior of an investor with a set of logic descriptors. Moreover, to instantiate specific logic descriptors, the authors introduce a Rank-Invest model that can keep the diversity of different logic descriptors through optimizing a variety of evaluation metrics with RRL. Investor-Imitator attempts to imitate 3 types of investors (oracle investor, collaborator investor, public investor) by designing investor-specific reward function for each type. In the experiments on the Chinese stock market, Investor-imitator successfully extracts interpretable knowledge of portfolio management that can help human traders better understand the financial market. Alphastock [138] is another policy-based RL method for portfolio management. LSTM with history state attention model is used to learn better stock representation. A cross-asset attention network (CAAN) incorporating price rising rank prior is added to further describe the interrelationships among stocks. Later on, the output of CAAN (winning score of each stock) is feed into a heuristic portfolio generator to construct the final portfolio. Policy gradient is used to optimize the Sharpe Ratio. Experiments on both U.S. and Chinese stock market show that Alphastock achieves robust

performance over different market states. ET^3 [117] is another RRL-based method, which tries to build profitable cryptocurrency portfolios by extracting multi-scale patterns in the financial market. Inspired by the success of Inception networks [128], the authors design a multi-scale temporal feature aggregation convolution framework with two CNN branches to extract short-term and mid-term market embedding and a max pooling branch to extract the highest price information. To bridge the gap between the traditional Markowitz portfolio and RL-based methods, Benhamou et al. [7] applied PG with a delayed reward function and showed better performance than the classic Markowitz efficient frontier.

Zhang et al. [160] proposed a cost-sensitive PM framework based on direct policy gradient. To learn more robust market representation, a novel two-stream portfolio policy network is designed to extract both price series pattern and the relationship between different financial assets. In addition, the authors design a new cost-sensitive reward function to take the trading cost constraint into consideration with theoretically near-optimal guarantee. Finally, the effectiveness of the cost-sensitive framework is demonstrated on real-world cryptocurrency datasets. Xu et al. [149] proposed a novel relation-aware transformer (RAT) under the classic RRL paradigm. RAT is structurally innovated to capture both sequential patterns and the inner corrections between financial assets. Specifically, RAT follows an encoder-decoder structure, where the encoder is for sequential feature extraction and the decoder is for decision making. Experiments on 2 cryptocurrency and 1 stock datasets not only show RAT's superior performance over existing baselines but also demonstrate that RAT can effectively learn better representation and benefit from leverage operation. Bisi et al. [11] derived a PG theorem with a novel objective function, which exploited the mean-volatility relationship. The new objective could be used in actor-only algorithms such as TRPO with monotonic improvement guarantees. Wang et al. [140] proposed DeepTrader, a PG-based DRL method, to tackle the risk-return balancing problem in PM. The model simultaneously uses negative maximum drawdown and price rising rate as reward functions to balance between profit and risk. The authors propose an asset scoring unit with graph convolution layer to capture temporal and spatial interrelations among stocks. Moreover, a market scoring unit is designed to evaluate the market condition. DeepTrader achieves great performance across three different markets.

Actor-critic methods. Jiang et al. [66] proposed a DPG-based RL framework for portfolio management. The framework consists of 3 novel components: 1) the Ensemble of Identical Independent Evaluators (EIIIE) topology; 2) a Portfolio Vector Memory (PVM); 3) an Online Stochastic Batch Learning (OSBL) scheme. Specifically, the idea of EIIIE is that the embedding concatenation of output from different NN layers can learn better market representation effectively. In order to take transaction costs into consideration, PVM uses the output portfolio at the last time step as part of the input of current time step. The OSBL training scheme makes sure that all data points in the same batch are trained in the original time order. To demonstrate the effectiveness of proposed components, extensive experiments using different NN architectures are conducted on cryptocurrency data. Later on, more comprehensive experiments are conducted in an extended version [65]. To model the data heterogeneity and environment uncertainty in PM, Ye et al. [153] proposed a State-Augmented RL (SARL) framework based on DPG. SARL learns the price movement prediction with financial news as additional states. Extensive experiments on both cryptocurrency and U.S. stock market validation that SARL outperforms previous approaches in terms of return rate and risk-adjusted criteria. Another popular actor-critic RL method for portfolio management is DDPG. Xiong et al. [148] constructed a highly profitable portfolio with DDPG on the Chinese stock market. PROFIT [111] is another DDPG-based approach that makes time-aware decisions on PM with text data. The authors make use of a custom policy network that hierarchically and attentively learns time-aware representations of news and tweets for PM, which is generalizable among various

actor-critic RL methods. PROFIT shows promising performance on both China and US stock markets. Murray et al. [96] proposed a novel actor-critic algorithm for solving general risk-reverse stochastic control problems and use it to learn hedging strategies for portfolio management across multiple risk aversion levels simultaneously.

Other methods. Neuneier [97] made an attempt to formalize portfolio management as an MDP and trained an RL agent with Q-learning. Experiments on German stock market demonstrate its superior performance over heuristic benchmark policy. Later on, a shared value-function for different assets and model-free policy-iteration are applied to further improve the performance of Q-learning in [98]. There are a few model-based RL methods that attempt to learn some models of the financial market for portfolio management. Yu et al. [154] proposed the first model-based RL framework for portfolio management, which supports both off-policy and on-policy settings. The authors design an Infused Prediction Module (IPM) to predict future price, a Data Augmentation Module (DAM) with recurrent adversarial networks to mitigate the data deficiency issue, and a Behavior Cloning Module (BCM) to reduce the portfolio volatility. MetaTrader [101] is a novel two-stage RL-based approach for portfolio management, which learns to integrate diverse trading policies to adapt to various market conditions. In the first stage, MetaTrader incorporates an imitation learning objective into the reinforcement learning framework. Through imitating different expert demonstrations, MetaTrader acquires a set of trading policies with great diversity. In the second stage, MetaTrader learns a meta-policy to recognize the market conditions and decide on the most proper learned policy to follow.

Portfolio management is also formulated as a multi-agent RL problem. MAPS [73] is a cooperative multi-agent RL system in which each agent is an independent "investor" creating its own portfolio. The authors design a novel loss function to guide each agent to act as diversely as possible while maximizing its long-term profit. MAPS outperforms most of baselines with 12 years of U.S. stock market data. In addition, the authors find that adding more agents to MAPS can lead to a more diversified portfolio with higher Sharpe Ratio. MSPM [61] is a multi-agent RL framework with a modularized and scalable architecture for PM. MSPM consists of the Evolving Agent Module (EAM) to learn market embedding with heterogeneous input and the Strategic Agent Module (SAM) to produce profitable portfolios based on the output of EAM.

Some works compare the profitability of portfolios constructed by different RL algorithms on their own data. Liang et al. [81] compared the performance of DDPG, PPO and PG on Chinese stock market. Yang et al. [152] firstly tested the performance of PPO, A2C and DDPG on the U.S. stock market. Later on, the authors find that the ensemble strategy of these three algorithms can integrate the best features and shows more robust performance adjusting to different market situations.

Summary. Since a portfolio is a vector of weights for different financial assets, which naturally corresponds to a policy, policy-based methods are the most widely-used RL methods for PM. There are also many successful examples based on actor-critic algorithms. The summary of portfolio management publications is in Table 5. We point out two issues of existing methods: (1) Most of them ignore the interrelationship between different financial assets, which is valuable for human portfolio managers. (2) Existing works construct portfolios from a relative small pool of stocks (e.g., 20 in total). However, the real market contains thousands of stocks and common RL methods are vulnerable when the action space is very large [35].

5.4 RL in Order Execution

Different from AT and PM, order execution (OE) is a micro-level QT task, which tries to trade a fixed amount of shares in a given time horizon and minimize the execution cost. In the real financial market, OE is extremely important for institutional traders whose trading volume is large enough to have an obvious impact of the market price.

Reference	RL method	Data Source	Asset Type	Market	Data frequency
[97]	Q-learning	Technical Indicator	Stock Index	Germany	1 Day
[98]	Q-learning	Hand-crafted	Stock Index	Germany	1 Day
[66]	DPG	Price, Hand-crafted	Cryptocurrency	-	30 Min
[1]	RRL	-	Stock Index	-	-
[65]	DPG	Lagged Portfolio	Cryptocurrency	-	30 Min
[81]	DDPG, PPO, PG	OHLC Technical Indicator	Stock	China	1 Day
[34]	RRL	Hand-crafted	Stock	China	1 Day
[148]	DDPG	Price, Hand-crafted	Stock	USA	1 Day
[138]	-	Technical Indicator	Stock	China, USA	-
[154]	Model-based RL	OHLC, Hnad-crafted	Stock	USA	1 Hour
[117]	RRL	Price, Lagged Portfolio	Cryptocurrency	-	-
[7]	PG	Price, Hand-crafted	-	-	1 Day
[160]	PG	OHLC, Lagged Return	Cryptocurrency	-	-
[152]	PPO, A2C, DDPG	Price, Hand-crafted	Stock	USA	1 Day
[73]	Multi-agent RL	Technical Indicator	Stock	USA	1 Day
[111]	DDPG	Financial Text Hand-crafted	Stock	USA, China	1 Min
[153]	DPG	Financial Text, OHLC	Stock Cryptocurrency	USA -	1 Day 30 Min
[149]	RRL	OHLC	Stock Cryptocurrency	USA -	30 Min
[139]	REINFORCE,DQN	OHLC, Lagged Portfolio	Stock	USA, China	1 Day
[11]	TRPO	Lagged Return Lagged Portfolio	Artificial Stock Index	- USA	- 1 Day
[140]	PG	Technical Indicator	Stock	USA, China Hong Kong	-
[61]	Multi-agent RL	Price, Financial Text	Stock	USA	1 Day
[101]	DQN	Technical Indicator	Stock	USA, China Hong Kong	-
[96]	Actor-Critic	Technical Indicator	Artificial	-	-

Table 5. Summary of RL for Portfolio Management

Nevmyvaka et al. [99] proposed the first RL-based method for large-scale order execution. The authors use Q-learning to train the agent with real-world LOB data. With carefully designed state, action and reward function, the Q-learning framework can significantly outperform traditional baselines. Hendricks and Wilcox [55] implemented another Q-learning based RL method on South Africa market by extending the popular Almgren-Chriss model with linear price impact. Ning et al. [100] proposed an RL framework using Double DQN and evaluated its performance on 9 different U.S. stocks. Dabérius et al. [26] implemented DDQN, PPO and compared their performance with TWAP.

PPO is another widely used RL method for OE. Lin and Beling [85] proposed an end-to-end PPO-based framework. MLP and LSTM are tested as time dependencies accounting network. The authors design a sparse reward function instead of previous implementation shortfall (IS) or a shaped reward function, which leads to state-of-the-art performance on 14 stocks in the U.S. market. Fang et al. [40] proposed another PPO-based framework to bridge the gap between the noisy yet imperfect market states and the optimal action sequences for OE. The framework leverages a policy distillation method with an entropy regularization term in the loss function to guide the student agent toward learning similar policy by an oracle teacher with perfect information of the financial market. Moreover, the authors design a normalized reward function to encourage universal

learning among different stocks. Extensive experiments on Chinese stock market demonstrate that the proposed method significantly outperforms various baselines with reasonable trading actions.

We present a summary of existing RL-based order execution publications in Table 6. Although there are a few successful examples using either Q-learning or PPO on order execution, existing works share a few limitations. First, most of algorithms are only tested on stock data. Their performance on different financial assets (e.g., futures and cryptocurrency) is still unclear. Second, the execution time window (e.g., 1 day) is too long, which makes the task easier. In practice, professional traders usually finish the execution process in much shorter time window (e.g., 10 minute). Third, existing works will fail when the trading volume is huge, because all of them assume there is no obvious market impact, which is impossible for large volume settings. In the real-world, the requirement of institutional investors is to execute large amount of shares in a relatively short time window. There is still a long way to go for researchers to tackle these limitations.

Reference	RL method	Data Source	Asset Type	Market	Data frequency
[99]	Q-learning	Price, Hand-crafted	Stock	USA	Millisecond
[55]	Q-learning	Hand-crafted	Stock	South Africa	5 Min
[100]	DQN	LOB	Stock	USA	1 Second
[26]	DDQN, PPO	Hand-crafted	Artificial	-	-
[85]	PPO	LOB	Stock	USA	Millisecond
[40]	PPO	OHLC, Hand-crafted	Stock	China	1 Min

Table 6. Summary of RL for Order Execution

5.5 RL in Market Making

Market making refers to trading activities that buy and sell one given asset simultaneously at desired price. The goal of a market maker is to provide liquidity to the market and market profit through the tiny price spread of buy/sell orders. In this subsection, we will discuss existing RL-based methods for market making.

Chan and Shelton [21] made the first attempt to apply RL for market making without any assumption of the market. Simulation showed that the RL method converged on optimal strategies successfully on a few controlled environments. Spooner et al. [121] focused on designing and analyzing temporal-difference (TD) RL methods for market making. The authors firstly build a realistic, data-driven simulator with millisecond LOB data for market making. With an asymmetrically dampened reward function and a linear combination of tile coding as state, both Q-learning and SARSA outperform previous baselines. Lim and Gorse [84] proposed a Q-learning based algorithm with a novel usage of CARA utility as the terminal reward for market making. Guéant and Manziuk [50] proposed a model-based actor-critic RL algorithm, which focuses on market making optimization for multiple corporate bonds. Zhong et al. [163] proposed a model-free and off-policy Q-learning algorithm to develop trading strategy implemented with a simple lookup table. The method achieves great performance on event-by-event LOB data confirmed by a professional trading firm. For training robust market making agents, Spooner and Savani [122] introduced a game-theoretic adaptation of the traditional mathematical market making model. The authors thoroughly investigate the impact in 3 environmental settings with adversarial RL. Zhao and Linetsky [162] proposed a high-frequency feature called Book Exhaustion Rate (BER), which can serve as a direct measurement of the adverse selection risk from an equilibrium point of view. The authors train a market making agent via RL using three years of LOB data on Chicago Mercantile Exchange S & P 500 and achieve stable performance.

Even though market making is a fundamental task in quantitative trading, research on RL-based market making is still at the early stage. Existing few works simply apply different RL methods on their own data. The summary of order execution publications is in Table 7. To fully realize the potential of RL for market making, one major obstacle is the lack of high-fidelity micro-level market simulator. At present, there is still no reasonable way to simulate the ubiquitous market impact. This unignorable gap between simulation and real market limits the usage of RL in market making.

Reference	RL method	Data Source	Asset Type	Market	Data frequency
[21]	SARSA	Hand-crafted	Artificial	-	-
[121]	Q-learning, SARSA	Hand-crafted	-	-	Millisecond
[84]	Q-learning	Hand-crafted	Artificial	-	-
[50]	Model-based RL	Hand-crafted	Bond	Europe	-
[163]	Q-learning	LOB	-	-	Event
[122]	SARSA	Hand-crafted	Artificial	-	-
[162]	-	Hand-crafted	Stock & Treasury	US	5 Min

Table 7. Summary of RL for Market Making

6 OPEN ISSUES AND FUTURE DIRECTIONS

Even though existing works have demonstrated the success of RL methods on QT tasks, this section will point out a few prospective future research directions. Several critical open issues and potential solutions are also elaborated.

6.1 Advanced RL techniques on QT

Most existing works are only straightforward application of classic RL methods on QT tasks. The effectiveness of more advanced RL techniques on financial data is not well-explored. We point out a few promising directions in this subsection.

First, data scarcity is a major challenge on applying RL for QT tasks. Model-based RL can speed up the training process by learning a model of the financial market [154]. The worst-case (e.g., financial crisis) can be used as a regularizer for maximizing the accumulated reward. Second, the key objective of QT is to balance between maximizing profit and minimizing risk. Multi-objective RL techniques provide a weapon to balance the trade-off between profit and risk. Training diversified trading policies with different risk tolerance is an interesting direction. Third, graph learning [147] has shown promising results on modeling the ubiquitous relationship between stocks in supervised learning [42, 110]. Combing graph learning with RL for modeling the internal relationship between different stocks or financial market is an interesting future direction. Fourth, the severe distribution shift of financial market makes RL-based methods exhibit poor generalization ability in new market condition. Meta-RL and transfer learning techniques can help improve RL-based QT models' generalization performance across different financial assets or market. Fifth, for high risky decision-making tasks such as QT, we need to explain its actions to human traders as a condition for their full acceptance of the algorithm. Hierarchical RL methods decompose the main goal into sub-goals for low-level agents. By learning the optimal subgoals for the low-level agent, the high-level agent forms a representation of the financial market that is interpretable by human traders. Sixth, for QT, learning through directly interacting with the real market is risky and impractical. RL-based QT normally use historical data to learn a policy, which fits in offline RL settings. Offline RL techniques can help to model the distribution shift and risk of financial market while training RL agents.

6.2 Alternative Data and New QT Settings

Intuitively, alternative data can provide extra information to learn better representation of the financial market. Economic news [57], frequency of prices [158], social media [151], financial events [33] and investment behaviors [23] have been applied to improve performance of financial prediction. For RL-based methods, price movement embedding [153] and market condition embedding [140] are incorporated as extra information to improve an RL agent's performance. However, existing works simply concatenate extra features or embedding from multiple data source as market representation. One interesting forward-looking direction is to utilize multi-modality learning techniques to learn more meaningful representations with both original price and alternative data while training RL agents. Besides alternative data, there are still some important QT settings unexplored by RL researchers. Intraday trading, high-frequency trading and pairs trading are a few examples. Intraday trading tries to capture price fluctuation patterns within the same trading day; high-frequency trading aims at capturing the fleeting micro-level trading opportunities; pairs trading focuses on analyzing the relative trend of two highly correlated assets.

6.3 Enhance with auto-ML

Due to the noisy nature of financial data and brittleness of RL methods, the success of RL-based QT models highly relies on carefully designed RL components (e.g., reward function) and proper-tuned hyperparameters (e.g., network architecture). As a result, it is still difficult for people without in-depth knowledge of RL such as economists and professional traders to design profitable RL-based trading strategies. Auto-ML, which tries to design high-quality ML applications automatically, can enhance the development of RL-based QT from three perspectives: (i) For feature engineering, auto-ML can automatically construct, select and collect meaningful features. (ii) For hyperparameter tuning, auto-ML can automatically search for proper hyperparameters such as update rule, learning rate and reward function. (iii) For neural architecture search, auto-ML can automatically search for suitable neural network architectures for training RL agents. With the assistance of auto-ML, RL-based QT models can be more usable for people without in depth knowledge of RL. We believe that it is a promising research direction to facilitate the development of RL-based QT models with auto-ML techniques.

6.4 More Realistic Simulation

High-fidelity simulation is the key foundation of RL methods' success. Although existing works take many practical constraints such as transaction fee [135], execution cost [139] and slippage [87] into consideration, current simulation is far from realistic. The ubiquitous market impact, which refers to the effect of one trader's actions to other traders, is ignored. For leading trading firms, their trading volume can account for over 10% of the total volume with a significant impact of other traders in the market. As a result, simulation with only historical market data is not enough. There are some research efforts focusing on dealing with the market impact. Spooner et al. [121] tried to take market impact into consideration for MM with event-level data. Byrd et al. [15] proposed Aides, an agent-based financial market simulator to model market impact. Vyetenko et al. [137] made a survey on current status for market simulation and proposed a series of stylized metrics to test the quality of simulation. It is a very challenging but important research direction to build high-fidelity market simulators.

6.5 The Field Needs More Unified and Harder Evaluation

When a new RL-based QT method is proposed, the authors are expected to compare their methods with SOTA baselines on some financial datasets. At present, the selection of baselines and datasets

is seemingly arbitrary, which leads to an inconsistent reporting of revenues. As a result, there is no wide consensus on the general ranking of RL-based methods for QT tasks, which makes it extremely challenging to benchmark new RL algorithms in this field. The question is, how do we solve it? We can borrow some experience from neighbouring ML fields such as computer vision and natural language processing. A suite of standardized evaluation datasets and implementation of SOTA methods could be a good solution to this problem. As for evaluation criteria, most existing works only evaluate the profitability of RL algorithms with financial metrics such as total return, which ignores several critical axes, such as risk-control, explainability, diversity, reliability and universality [123]. In practice, due to the low signal-to-noise nature of financial markets, FinRL methods with only high profit on backtesting are likely to overfit on historical data and fail in real-world deployment [28]. We also note that split of training, validation and test set in most QT papers is quite random. Since there is significant distribution shift among time in the financial market, it is better to split data on a rolling basis. In addition, it is well-known that the performance of RL methods is very sensitive to hyperparameters such as learning rate. To provide more reliable evaluation of RL methods, authors should spend roughly the same time on tuning hyperparameters for both baselines and their own methods. In practice, some authors make much more effort on tuning their own methods than baselines, which makes the reported revenue not promising. As David Shaw (founder of a world-class hedge fund) said, he will never trade with a method that does not prove itself through a systematic evaluation. We urge the QT community to conduct more strict evaluation on new proposed methods. With proper datasets, baseline implementation and evaluation scheme, research on RL-based QT could achieve faster development.

7 CONCLUSION

In this article, we provided a comprehensive review of the most notable works on RL-based QT models. We proposed a classification scheme for organizing and clustering existing works, and we highlighted a bunch of influential research prototypes. We also discussed the pros/cons of utilizing RL techniques for QT tasks. In addition, we point out some of the most pressing open problems and promising future directions. Both RL and QT are ongoing hot research topics in the past few decades. There are many newly developing techniques and emerging models each year. We hope that this survey can provide readers with a comprehensive understanding of the key aspects of this field, clarify the most notable advances, and shed some light on future research.

8 ACKNOWLEDGMENTS

This project is supported by the National Research Foundation, Singapore under its Industry Alignment Fund – Pre-positioning (IAF-PP) Funding Initiative. Any opinions, findings and conclusions or recommendations expressed in this material are those of the author(s) and do not reflect the views of National Research Foundation, Singapore.

REFERENCES

- [1] Saud Almahdi and Steve Y Yang. 2017. An adaptive portfolio trading system: A risk-return portfolio optimization using recurrent reinforcement learning with expected maximum drawdown. *Expert Systems with Applications* 87 (2017), 267–279.
- [2] Robert Almgren and Neil Chriss. 2001. Optimal execution of portfolio transactions. *Journal of Risk* 3 (2001), 5–40.
- [3] Bo An, Shuo Sun, and Rundong Wang. 2022. Deep Reinforcement Learning for Quantitative Trading: Challenges and Opportunities. *IEEE Intelligent Systems* 37, 2 (2022), 23–26.
- [4] Adebisi A Ariyo, Adewumi O Adewumi, and Charles K Ayo. 2014. Stock price prediction using the ARIMA model. In *Proceedings of the 6th International Conference on Computer Modelling and Simulation (ICCMS)*. 106–112.
- [5] Arash Bahrammirzaee. 2010. A comparative survey of artificial intelligence applications in finance: Artificial neural networks, Expert system and hybrid intelligent systems. *Neural Computing and Applications* 19, 8 (2010), 1165–1195.

- [6] Suryoday Basak, Saibal Kar, Snehanshu Saha, Luckyson Khaidem, and Sudeepa Roy Dey. 2019. Predicting the direction of stock market prices using tree-based classifiers. *The North American Journal of Economics and Finance* 47 (2019), 552–567.
- [7] Eric Benhamou, David Saltiel, Sandrine Ungari, and Abhishek Mukhopadhyay. 2020. Bridging the gap between Markowitz planning and deep reinforcement learning. *arXiv preprint arXiv:2010.09108* (2020).
- [8] Francesco Bertoluzzo and Marco Corazza. 2012. Testing different reinforcement learning configurations for financial trading: Introduction and applications. *Procedia Economics and Finance* 3 (2012), 68–77.
- [9] Dimitris Bertsimas and Andrew W Lo. 1998. Optimal control of execution costs. *Journal of Financial Markets* 1, 1 (1998), 1–50.
- [10] Dinesh Bhuriya, Girish Kaushal, Ashish Sharma, and Upendra Singh. 2017. Stock market prediction using a linear regression. In *Proceedings of 1st International Conference of Electronics, Communication and Aerospace Technology (ICECA)*. 510–513.
- [11] Lorenzo Bisi, Luca Sabbioni, Edoardo Vittori, Matteo Papini, and Marcello Restelli. 2019. Risk-averse trust region optimization for reward-volatility reduction. *arXiv preprint arXiv:1912.03193* (2019).
- [12] Fischer Black and Myron Scholes. 1973. The Pricing of Options and Corporate Liabilities. *The Journal of Political Economy* 81, 3 (1973), 637–654.
- [13] John Bollinger. 2002. *Bollinger on Bollinger Bands*. McGraw-Hill New York.
- [14] Allan Borodin, Ran El-Yaniv, and Vincent Gogan. 2004. Can we learn to beat the best stock. *Journal of Artificial Intelligence Research* 21 (2004), 579–594.
- [15] David Byrd, Maria Hybinette, and Tucker Hybinette Balch. 2019. Abides: Towards high-fidelity market simulation for AI research. *arXiv preprint arXiv:1904.12066* (2019).
- [16] Álvaro Cartea, Sebastian Jaimungal, and José Penalva. 2015. *Algorithmic and High-frequency Trading*.
- [17] Álvaro Cartea, Sebastian Jaimungal, and Jason Ricci. 2014. Buy Low, Sell High: A High Frequency Trading Perspective. *SIAM Journal on Financial Mathematics* 5, 1 (2014), 415–444.
- [18] Stephan K. Chalup and Andreas Mitschele. 2008. *Kernel Methods in Finance*. Chapter 27, 655–687.
- [19] Ernest P Chan. 2021. *Quantitative trading: how to build your own algorithmic trading business*. Wiley.
- [20] Louis KC Chan, Narasimhan Jegadeesh, and Josef Lakonishok. 1996. Momentum strategies. *The Journal of Finance* 51, 5 (1996), 1681–1713.
- [21] Nicholas Tung Chan and Christian Shelton. 2001. An electronic market-maker. Technical report. (2001).
- [22] Lakshay Chauhan, John Alberg, and Zachary Lipton. 2020. Uncertainty-aware lookahead factor models for quantitative investing. In *Proceedings of the 37th International Conference on Machine Learning (ICML)*. 1489–1499.
- [23] Chi Chen, Li Zhao, Jiang Bian, Chunxiao Xing, and Tie-Yan Liu. 2019. Investment behaviors can tell what inside: Exploring stock intrinsic properties for stock trend prediction. In *Proceedings of the 25th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining (KDD)*. 2376–2384.
- [24] Yingmei Chen, Zhongyu Wei, and Xuanjing Huang. 2018. Incorporating corporation relationship via graph convolutional neural networks for stock price prediction. In *Proceedings of the 27th ACM International Conference on Information and Knowledge Management (CIKM)*. 1655–1658.
- [25] Thomas M. Cover. 1991. Universal Portfolios. *Mathematical Finance* 1, 1 (1991), 1–29.
- [26] Kevin Dabérius, Elvin Granat, and Patrik Karlsson. 2019. Deep Execution-Value and Policy Based Reinforcement Learning for Trading and Beating Market Benchmarks. Available at SSRN 3374766 (2019).
- [27] Renato Arantes de Oliveira, Heitor S Ramos, Daniel Hasan Dalip, and Adriano César Machado Pereira. 2020. A tabular Sarsa-based stock market agent. In *Proceedings of the 1st ACM International Conference on AI in Finance (ICAIF)*.
- [28] Marcos Lopez De Prado. 2018. *Advances in financial machine learning*. John Wiley & Sons.
- [29] Michael AH Dempster and Vasco Leemans. 2006. An automated FX trading system using adaptive reinforcement learning. *Expert Systems with Applications* 30, 3 (2006), 543–552.
- [30] Yue Deng, Feng Bao, Youyong Kong, Zhiquan Ren, and Qionghai Dai. 2016. Deep direct reinforcement learning for financial signal representation and trading. *IEEE Transactions on Neural Networks and Learning Systems* 28, 3 (2016), 653–664.
- [31] A Victor Devadoss and T Antony Alphonse Ligorì. 2013. Forecasting of stock prices using multi layer perceptron. *International Journal of Computing Algorithm* 2 (2013), 440–449.
- [32] Xiao Ding, Yue Zhang, Ting Liu, and Junwen Duan. 2015. Deep learning for event-driven stock prediction. In *Proceedings of the 24th International Joint Conference on Artificial Intelligence (IJCAI)*. 2327–2333.
- [33] Xiao Ding, Yue Zhang, Ting Liu, and Junwen Duan. 2016. Knowledge-driven event embedding for stock prediction. In *Proceedings of the 26th International Conference on Computational Linguistics*. 2133–2142.
- [34] Yi Ding, Weiqing Liu, Jiang Bian, Daoqiang Zhang, and Tie-Yan Liu. 2018. Investor-imitator: A framework for trading knowledge extraction. In *Proceedings of the 24th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining (KDD)*. 1310–1319.

- [35] Gabriel Dulac-Arnold, Richard Evans, Hado van Hasselt, Peter Sunehag, Timothy Lillicrap, Jonathan Hunt, Timothy Mann, Theophane Weber, Thomas Degris, and Ben Coppin. 2015. Deep reinforcement learning in large discrete action spaces. *arXiv preprint arXiv:1512.07679* (2015).
- [36] Sophie Emerson, Ruairi Kennedy, Luke O'Shea, and John O'Brien. 2019. Trends and applications of machine learning in quantitative finance. In *Proceedings of the 8th International Conference on Economics and Finance Research (ICEFR)*.
- [37] Eugene F Fama. 2021. Efficient capital markets: A review of theory and empirical work. *The Fama Portfolio* (2021), 76–121.
- [38] Eugene F Fama and Kenneth R French. 1993. Common risk factors in the returns on stocks and bonds. *Journal of Financial Economics* 33, 1 (1993), 3–56.
- [39] Jie Fang, Shutao Xia, Jianwu Lin, Zhikang Xia, Xiang Liu, and Yong Jiang. 2019. Alpha discovery neural network based on prior knowledge. *arXiv preprint arXiv:1912.11761* (2019).
- [40] Yuchen Fang, Kan Ren, Weiqing Liu, Dong Zhou, Weinan Zhang, Jiang Bian, Yong Yu, and Tie-Yan Liu. 2021. Universal trading for order execution with oracle policy distillation. In *Proceedings of the 35th AAAI Conference on Artificial Intelligence (AAAI)*.
- [41] Alhussein Fawzi, Matej Balog, Aja Huang, Thomas Hubert, Bernardino Romera-Paredes, Mohammadamin Barekatain, Alexander Novikov, Francisco J R Ruiz, Julian Schrittwieser, Grzegorz Swirszcz, et al. 2022. Discovering faster matrix multiplication algorithms with reinforcement learning. *Nature* 610, 7930 (2022), 47–53.
- [42] Fuli Feng, Xiangnan He, Xiang Wang, Cheng Luo, Yiqun Liu, and Tat-Seng Chua. 2019. Temporal relational ranking for stock prediction. *ACM Transactions on Information Systems (TOIS)* 37, 2 (2019), 27.
- [43] Thomas G Fischer. 2018. *Reinforcement learning in financial markets-a survey*. Technical Report. FAU Discussion Papers in Economics.
- [44] Keke Gai, Meikang Qiu, and Xiaotong Sun. 2018. A survey on FinTech. *Journal of Network and Computer Applications* 103 (2018), 262–273.
- [45] Alexei A Gaivoronski and Fabio Stella. 2000. Stochastic nonstationary optimization for finding universal portfolios. *Annals of Operations Research* 100, 1 (2000), 165–188.
- [46] Xiu Gao and Laiwan Chan. 2000. An algorithm for trading and portfolio management using Q-learning and sharpe ratio maximization. In *Proceedings of the 14th International Conference on Neural Information Processing (NIPS)*. 832–837.
- [47] Dhananjay K Gode and Shyam Sunder. 1993. Allocative Efficiency of Markets with Zero-intelligence Traders: Market as a Partial Substitute for Individual Rationality. *Journal of Political Economy* 101, 1 (1993), 119–137.
- [48] Shihao Gu, Bryan Kelly, and Dacheng Xiu. 2020. Empirical asset pricing via machine learning. *The Review of Financial Studies* 33, 5 (2020), 2223–2273.
- [49] Shihao Gu, Bryan Kelly, and Dacheng Xiu. 2021. Autoencoder asset pricing models. *Journal of Econometrics* 222, 1 (2021), 429–450.
- [50] Olivier Guéant and Iuliia Manziuk. 2019. Deep reinforcement learning for market making in corporate bonds: Beating the curse of dimensionality. *Applied Mathematical Finance* 26, 5 (2019), 387–452.
- [51] László Györfi, Gábor Lugosi, and Frederic Udina. 2006. Nonparametric kernel-based sequential investment strategies. *Mathematical Finance: An International Journal of Mathematics, Statistics and Financial Economics* 16, 2 (2006), 337–357.
- [52] Tuomas Haarnoja, Aurick Zhou, Pieter Abbeel, and Sergey Levine. 2018. Soft actor-critic: Off-policy maximum entropy deep reinforcement learning with a stochastic actor. In *International Conference on Machine Learning*.
- [53] Ben Hambly, Renyuan Xu, and Huining Yang. 2021. Recent advances in reinforcement learning in finance. *arXiv preprint arXiv:2112.04553* (2021).
- [54] David P Helmbold, Robert E Schapire, Yoram Singer, and Manfred K Warmuth. 1998. On-line portfolio selection using multiplicative updates. *Mathematical Finance* 8, 4 (1998), 325–347.
- [55] Dieter Hendricks and Diane Wilcox. 2014. A reinforcement learning extension to the Almgren-Chriss framework for optimal trade execution. In *Proceedings of the IEEE Conference on Computational Intelligence for Financial Engineering & Economics*. 457–464.
- [56] Ehsan Hoseinzade and Saman Haratizadeh. 2019. CNNpred: CNN-based stock market prediction using a diverse set of variables. *Expert Systems with Applications* 129 (2019), 273–285.
- [57] Ziniu Hu, Weiqing Liu, Jiang Bian, Xuanzhe Liu, and Tie-Yan Liu. 2018. Listening to chaotic whispers: A deep learning framework for news-oriented stock trend prediction. In *Proceedings of the 11th ACM International Conference on Web Search and Data Mining (WSDM)*. 261–269.
- [58] Chien-Feng Huang. 2012. A hybrid stock selection model using genetic algorithms and support vector regression. *Applied Soft Computing* 12, 2 (2012), 807–818.
- [59] Dingjiang Huang, Junlong Zhou, Bin Li, Steven HOI, and Shuigeng Zhou. 2013. Robust median reversion strategy for on-line portfolio selection. In *Proceedings of the 23rd International Joint Conference on Artificial Intelligence (IJCAI)*. 2006–2012.

- [60] Wei Huang, Yoshiteru Nakamori, and Shou-Yang Wang. 2005. Forecasting stock market movement direction with support vector machine. *Computers & Operations Research* 32, 10 (2005), 2513–2522.
- [61] Zhenhan Huang and Fumihide Tanaka. 2021. A Modularized and Scalable Multi-Agent Reinforcement Learning-based System for Financial Portfolio Management. *arXiv preprint arXiv:2102.03502* (2021).
- [62] O Jangmin, Jongwoo Lee, Jae Won Lee, and Byoung-Tak Zhang. 2006. Adaptive stock trading with dynamic asset allocation using reinforcement learning. *Information Sciences* 176, 15 (2006), 2121–2147.
- [63] Narasimhan Jegadeesh and Sheridan Titman. 1993. Returns to buying winners and selling losers: Implications for stock market efficiency. *The Journal of Finance* 48, 1 (1993), 65–91.
- [64] Gyeen Jeong and Ha Young Kim. 2019. Improving financial trading decisions using deep Q-learning: Predicting the number of shares, action strategies, and transfer learning. *Expert Systems with Applications* 117 (2019), 125–138.
- [65] Zhengyao Jiang and Jinjun Liang. 2017. Cryptocurrency portfolio management with deep reinforcement learning. In *2017 Intelligent Systems Conference (IntelliSys)*. 905–913.
- [66] Zhengyao Jiang, Dixing Xu, and Jinjun Liang. 2017. A deep reinforcement learning framework for the financial portfolio management problem. *arXiv preprint arXiv:1706.10059* (2017).
- [67] Sham M Kakade, Michael Kearns, Yishay Mansour, and Luis E Ortiz. 2004. Competitive algorithms for VWAP and limit order trading. In *Proceedings of the 5th ACM conference on Electronic Commerce (EC)*. 189–198.
- [68] Zura Kakushadze. 2016. 101 formulaic alphas. *Wilmott* 2016, 84 (2016), 72–81.
- [69] Guolin Ke, Qi Meng, Thomas Finley, Taifeng Wang, Wei Chen, Weidong Ma, Qiwei Ye, and Tie-Yan Liu. 2017. Lightgbm: A highly efficient gradient boosting decision tree. In *Proceedings of the 30th Neural Information Processing Systems*. 3146–3154.
- [70] Luckyson Khaidem, Snehanshu Saha, and Sudeepa Roy Dey. 2016. Predicting the direction of stock market prices using random forest. *arXiv preprint arXiv:1605.00003* (2016).
- [71] Vijay R Konda and John N Tsitsiklis. 2000. Actor-critic algorithms. *Proceedings of the 14th Neural Information Processing Systems (NIPS)*, 1008–1014.
- [72] Yann LeCun, Yoshua Bengio, and Geoffrey Hinton. 2015. Deep learning. *Nature* 521, 7553 (2015), 436–444.
- [73] Jinho Lee, Raehyun Kim, Seok-Won Yi, and Jaewoo Kang. 2020. MAPS: Multi-agent reinforcement learning-based portfolio management system. *arXiv preprint arXiv:2007.05402* (2020).
- [74] Jae Won Lee and O Jangmin. 2002. A multi-agent Q-learning framework for optimizing stock trading systems. In *Proceedings of the 13rd International Conference on Database and Expert Systems Applications (DESA)*. 153–162.
- [75] Ming-Chi Lee. 2009. Using support vector machine with a hybrid feature selection method to the stock trend prediction. *Expert Systems with Applications* 36, 8 (2009), 10896–10904.
- [76] Sergey Levine, Chelsea Finn, Trevor Darrell, and Pieter Abbeel. 2016. End-to-end training of deep visuomotor policies. *Journal of Machine Learning Research* 17, 1 (2016), 1334–1373.
- [77] Bin Li and Steven CH Hoi. 2014. Online portfolio selection: A survey. *Comput. Surveys* 46, 3 (2014), 1–36.
- [78] Bin Li, Steven CH Hoi, and Vivekanand Gopalkrishnan. 2011. Corn: Correlation-driven nonparametric learning approach for portfolio selection. *ACM Transactions on Intelligent Systems and Technology* 2, 3 (2011), 1–29.
- [79] Bin Li, Peilin Zhao, Steven CH Hoi, and Vivekanand Gopalkrishnan. 2012. PAMR: Passive aggressive mean reversion strategy for portfolio selection. *Machine Learning* 87, 2 (2012), 221–258.
- [80] Wei Li, Ruihan Bao, Keiko Harimoto, Deli Chen, Jingjing Xu, and Qi Su. 2020. Modeling the stock relation with graph network for overnight stock movement prediction. In *Proceedings of the 29th International Joint Conference on Artificial Intelligence (IJCAI)*. 4541–4547.
- [81] Zhipeng Liang, Hao Chen, Junhao Zhu, Kangkang Jiang, and Yanran Li. 2018. Adversarial deep reinforcement learning in portfolio management. *arXiv preprint arXiv:1808.09940* (2018).
- [82] Timothy P Lillicrap, Jonathan J Hunt, Alexander Pritzel, Nicolas Heess, Tom Erez, Yuval Tassa, David Silver, and Daan Wierstra. 2015. Continuous control with deep reinforcement learning. *arXiv preprint arXiv:1509.02971* (2015).
- [83] Bryan Lim, Stefan Zohren, and Stephen Roberts. 2019. Enhancing time-series momentum strategies using deep neural networks. *The Journal of Financial Data Science* 1, 4 (2019), 19–38.
- [84] Ye-Sheen Lim and Denise Gorse. 2018. Reinforcement learning for high-frequency market making. In *Proceedings of the 26th European Symposium on Artificial Neural Networks, Computational Intelligence and Machine Learning (ESANN)*.
- [85] Siyu Lin and Peter A Beling. 2020. An end-to-end optimal trade execution framework based on proximal policy optimization. In *Proceedings of the 29th International Joint Conference on Artificial Intelligence (IJCAI)*. 4548–4554.
- [86] Guang Liu, Yuzhao Mao, Qi Sun, Hailong Huang, Weigu Gao, Xuan Li, JianPing Shen, Ruifan Li, and Xiaojie Wang. 2020. Multi-scale two-way deep neural network for stock trend prediction. In *Proceedings of the 29th International Joint Conference on Artificial Intelligence (IJCAI)*. 4555–4561.
- [87] Yang Liu, Qi Liu, Hongke Zhao, Zhen Pan, and Chuanren Liu. 2020. Adaptive quantitative trading: An imitative deep reinforcement learning approach. In *Proceedings of the 32nd AAAI Conference on Artificial Intelligence (AAAI)*.

2128–2135.

- [88] Malik Magdon-Ismael and Amir F Atiya. 2004. Maximum drawdown. *Risk Magazine* 17, 10 (2004), 99–102.
- [89] Harry Markowitz. 1959. *Portfolio Selection*. Yale University Press New Haven.
- [90] Volodymyr Mnih, Adria Puigdomenech Badia, Mehdi Mirza, Alex Graves, Timothy Lillicrap, Tim Harley, David Silver, and Koray Kavukcuoglu. 2016. Asynchronous methods for deep reinforcement learning. In *International Conference on Machine Learning*. 1928–1937.
- [91] Volodymyr Mnih, Koray Kavukcuoglu, David Silver, Andrei A Rusu, Joel Veness, Marc G Bellemare, Alex Graves, Martin Riedmiller, Andreas K Fidjeland, Georg Ostrovski, et al. 2015. Human-level control through deep reinforcement learning. *Nature* 518, 7540 (2015), 529–533.
- [92] John Moody and Matthew Saffell. 2001. Learning to trade via direct reinforcement. *IEEE Transactions on Neural Networks* 12, 4 (2001), 875–889.
- [93] John Moody and Lizhong Wu. 1997. Optimization of trading systems and portfolios. In *Proceedings of the IEEE/IAFE 1997 Computational Intelligence for Financial Engineering*. 300–307.
- [94] John Moody, Lizhong Wu, Yuansong Liao, and Matthew Saffell. 1998. Performance functions and reinforcement learning for trading systems and portfolios. *Journal of Forecasting* 17, 5–6 (1998), 441–470.
- [95] Tobias J Moskowitz, Yao Hua Ooi, and Lasse Heje Pedersen. 2012. Time series momentum. *Journal of Financial Economics* 104, 2 (2012), 228–250.
- [96] Phillip Murray, Ben Wood, Hans Buehler, Magnus Wiese, and Mikko Pakkanen. 2022. Deep Hedging: Continuous Reinforcement Learning for Hedging of General Portfolios across Multiple Risk Aversions. In *3rd ACM International Conference on AI in Finance*. 361–368.
- [97] Ralph Neuneier. 1996. Optimal asset allocation using adaptive dynamic programming. *Proceedings of the 10th Neural Information Processing Systems (NIPS)*, 952–958.
- [98] Ralph Neuneier. 1998. Enhancing Q-learning for optimal asset allocation. In *Proceedings of the 12nd Neural Information Processing Systems (NIPS)*. 936–942.
- [99] Yuriy Nevmyvaka, Yi Feng, and Michael Kearns. 2006. Reinforcement learning for optimized trade execution. In *Proceedings of the 23rd International Conference on Machine Learning (ICML)*. 673–680.
- [100] Brian Ning, Franco Ho Ting Lin, and Sebastian Jaimungal. 2018. Double deep Q-learning for optimal execution. *arXiv preprint arXiv:1812.06600* (2018).
- [101] Hui Niu, Siyuan Li, and Jian Li. 2022. MetaTrader: An Reinforcement Learning Approach Integrating Diverse Policies for Portfolio Optimization. In *Proceedings of the 31st ACM International Conference on Information & Knowledge Management*. 1573–1583.
- [102] Ahmet Murat Ozbayoglu, Mehmet Ugur Gudelek, and Omer Berat Sezer. 2020. Deep learning for financial applications: A survey. *Applied Soft Computing* (2020), 106384.
- [103] Theodore Panagiotidis, Thanasis Stengos, and Orestis Vravosinos. 2018. On the determinants of bitcoin returns: A LASSO approach. *Finance Research Letters* 27 (2018), 235–240.
- [104] Jigar Patel, Sahil Shah, Priyank Thakkar, and Ketan Kotecha. 2015. Predicting stock and stock price index movement using trend deterministic data preparation and machine learning techniques. *Expert Systems with Applications* 42, 1 (2015), 259–268.
- [105] James M Poterba and Lawrence H Summers. 1988. Mean reversion in stock prices: Evidence and implications. *Journal of Financial Economics* 22, 1 (1988), 27–59.
- [106] Antonio Riva, Lorenzo Bisi, Pierre Liotet, Luca Sabbioni, Edoardo Vittori, Marco Pinciroli, Michele Trapletti, and Marcello Restelli. 2021. Learning FX trading strategies with FQI and persistent actions. In *Proceedings of the Second ACM International Conference on AI in Finance*. 1–9.
- [107] Gavin A Rummery and Mahesan Niranjana. 1994. *On-line Q-learning Using Connectionist Systems*. University of Cambridge, Department of Engineering Cambridge, UK.
- [108] Francesco Rundo, Francesca Trenta, Agatino Luigi di Stallo, and Sebastiano Battiato. 2019. Machine learning for quantitative finance applications: A survey. *Applied Sciences* 9, 24 (2019), 5574.
- [109] Ramit Sawhney, Shivam Agarwal, Arnav Wadhwa, Tyler Derr, and Rajiv Ratn Shah. 2021. Stock selection via spatiotemporal hypergraph attention network: A learning to rank approach. In *Proceedings of the AAAI Conference on Artificial Intelligence*, Vol. 35. 497–504.
- [110] Ramit Sawhney, Shivam Agarwal, Arnav Wadhwa, and Rajiv Shah. 2021. Exploring the Scale-Free Nature of Stock Markets: Hyperbolic Graph Learning for Algorithmic Trading. In *Proceedings of the Web Conference 2021*. 11–22.
- [111] Ramit Sawhney, Arnav Wadhwa, Shivam Agarwal, and Rajiv Shah. 2021. Quantitative day trading from natural language using reinforcement learning. In *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*. 4018–4030.
- [112] John Schulman, Filip Wolski, Prafulla Dhariwal, Alec Radford, and Oleg Klimov. 2017. Proximal policy optimization algorithms. *arXiv preprint arXiv:1707.06347* (2017).

- [113] Sreelekshmy Selvin, R Vinayakumar, EA Gopalakrishnan, Vijay Krishna Menon, and KP Soman. 2017. Stock price prediction using LSTM, RNN and CNN-sliding window model. In *Proceedings of the 6th International Conference on Advances in Computing, Communications and Informatics (ICACCI)*. 1643–1647.
- [114] Omer Berat Sezer, Mehmet Ugur Gudelek, and Ahmet Murat Ozbayoglu. 2020. Financial time series forecasting with deep learning: A systematic literature review: 2005–2019. *Applied Soft Computing* 90 (2020), 106181.
- [115] William F Sharpe. 1964. Capital asset prices: A theory of market equilibrium under conditions of risk. *The Journal of Finance* 19, 3 (1964), 425–442.
- [116] William F Sharpe. 1994. The sharpe ratio. *Journal of Portfolio Management* 21, 1 (1994), 49–58.
- [117] Si Shi, Jianjun Li, Guohui Li, and Peng Pan. 2019. A multi-scale temporal feature aggregation convolutional neural network for portfolio management. In *Proceedings of the 28th ACM International Conference on Information and Knowledge Management (CIKM)*. 1613–1622.
- [118] Weiyu Si, Jinke Li, Peng Ding, and Ruonan Rao. 2017. A multi-objective deep reinforcement learning approach for stock index future’s intraday trading. In *Proceeding of the 10th International Symposium on Computational Intelligence and Design (ISCID)*. 431–436.
- [119] David Silver, Aja Huang, Chris J Maddison, Arthur Guez, Laurent Sifre, George Van Den Driessche, Julian Schrittwieser, Ioannis Antonoglou, Veda Panneershelvam, Marc Lanctot, et al. 2016. Mastering the game of Go with deep neural networks and tree search. *Nature* 529, 7587 (2016), 484–489.
- [120] David Silver, Guy Lever, Nicolas Heess, Thomas Degris, Daan Wierstra, and Martin Riedmiller. 2014. Deterministic policy gradient algorithms. In *Proceedings of the 31st International Conference on Machine Learning (ICML)*. 387–395.
- [121] Thomas Spooner, John Fearnley, Rahul Savani, and Andreas Koukorinis. 2018. Market making via reinforcement learning. *arXiv preprint arXiv:1804.04216* (2018).
- [122] Thomas Spooner and Rahul Savani. 2020. Robust market making via adversarial reinforcement learning. *arXiv preprint arXiv:2003.01820* (2020).
- [123] Shuo Sun, Molei Qin, Xinrun Wang, and Bo An. 2022. PRUDEX-Compass: Towards Systematic Evaluation of Reinforcement Learning in Financial Markets. (2022).
- [124] Shuo Sun, Rundong Wang, and Bo An. 2022. Quantitative Stock Investment by Routing Uncertainty-Aware Trading Experts: A Multi-Task Learning Approach. *arXiv preprint arXiv:2207.07578* (2022).
- [125] Shuo Sun, Wanqi Xue, Rundong Wang, Xu He, Junlei Zhu, Jian Li, and Bo An. 2022. DeepScalper: A Risk-Aware Reinforcement Learning Framework to Capture Fleeting Intraday Trading Opportunities. In *Proceedings of the 31st ACM International Conference on Information & Knowledge Management*. 1858–1867.
- [126] Xiaolei Sun, Mingxi Liu, and Zeqian Sima. 2020. A novel cryptocurrency price trend forecasting model based on LightGBM. *Finance Research Letters* 32 (2020), 101084.
- [127] Richard S Sutton and Andrew G Barto. 2018. *Reinforcement Learning: An Introduction*. MIT press.
- [128] Christian Szegedy, Wei Liu, Yangqing Jia, Pierre Sermanet, Scott Reed, Dragomir Anguelov, Dumitru Erhan, Vincent Vanhoucke, and Andrew Rabinovich. 2015. Going deeper with convolutions. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*. 1–9.
- [129] Lawrence Takeuchi and Yu-Ying Albert Lee. 2013. Applying deep learning to enhance momentum trading strategies in stocks. Technical report.
- [130] Leigh Tesfatsion and Kenneth L Judd. 2006. *Handbook of Computational Economics: Agent-based Computational Economics*.
- [131] Alaa Tharwat, Tarek Gaber, Abdelhameed Ibrahim, and Aboul Ella Hassanien. 2017. Linear discriminant analysis: A detailed tutorial. *AI communications* 30, 2 (2017), 169–190.
- [132] Chih-Fong Tsai and Yu-Chieh Hsiao. 2010. Combining multiple feature selection methods for stock prediction: Union, intersection, and multi-intersection approaches. *Decision Support Systems* 50, 1 (2010), 258–269.
- [133] Oriol Vinyals, Igor Babuschkin, Wojciech M Czarnecki, Michaël Mathieu, Andrew Dudzik, Junyoung Chung, David H Choi, Richard Powell, Timo Ewalds, Petko Georgiev, et al. 2019. Grandmaster level in StarCraft II using multi-agent reinforcement learning. *Nature* 575, 7782 (2019), 350–354.
- [134] Edoardo Vittori. 2022. Augmenting traders with learning machines. (2022).
- [135] Edoardo Vittori, Martino Bernasconi de Luca, Francesco Trovò, and Marcello Restelli. 2020. Dealing with transaction costs in portfolio optimization: Online gradient descent with momentum. In *Proceedings of the 1st ACM International Conference on AI in Finance (ICAIF)*. 1–8.
- [136] Edoardo Vittori, Michele Trapletti, and Marcello Restelli. 2020. Option hedging with risk averse reinforcement learning. In *Proceedings of the First ACM International Conference on AI in Finance*. 1–8.
- [137] Svitlana Vyetenko, David Byrd, Nick Petosa, Mahmoud Mahfouz, Danial Dervovic, Manuela Veloso, and Tucker Hybinette Balch. 2019. Get real: Realism metrics for robust limit order book market simulations. *arXiv preprint arXiv:1912.04941* (2019).

- [138] Jingyuan Wang, Yang Zhang, Ke Tang, Junjie Wu, and Zhang Xiong. 2019. Alphastock: A buying-winners-and-selling-losers investment strategy using interpretable deep reinforcement attention networks. In *Proceedings of the 25th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining (KDD)*. 1900–1908.
- [139] Rundong Wang, Hongxin Wei, Bo An, Zhouyan Feng, and Jun Yao. 2020. Commission fee is not enough: A hierarchical reinforced framework for portfolio management. *arXiv preprint arXiv:2012.12620* (2020).
- [140] Zhicheng Wang, Biwei Huang, Shikui Tu, Kun Zhang, and Lei Xu. 2021. DeepTrader: A deep reinforcement learning approach to risk-return balanced portfolio management with market conditions embedding. In *Proceedings of the 35th AAAI Conference on Artificial Intelligence (AAAI)*.
- [141] Ziyu Wang, Tom Schaul, Matteo Hessel, Hado Hasselt, Marc Lanctot, and Nando Freitas. 2016. Dueling network architectures for deep reinforcement learning. In *Proceedings of 35th International Conference on Machine Learning*. 1995–2003.
- [142] Christopher JCH Watkins and Peter Dayan. 1992. Q-learning. *Machine Learning* 8, 3-4 (1992), 279–292.
- [143] Ronald J Williams. 1992. Simple statistical gradient-following algorithms for connectionist reinforcement learning. *Machine learning* 8, 3-4 (1992), 229–256.
- [144] Svante Wold, Kim Esbensen, and Paul Geladi. 1987. Principal component analysis. *Chemometrics and Intelligent Laboratory Systems* 2, 1-3 (1987), 37–52.
- [145] Bo K Wong and Yakup Selvi. 1998. Neural network applications in finance: A review and analysis of literature (1990–1996). *Information & Management* 34, 3 (1998), 129–139.
- [146] Lan Wu and Yuehan Yang. 2014. Nonnegative elastic net and application in index tracking. *Appl. Math. Comput.* 227 (2014), 541–552.
- [147] Zonghan Wu, Shirui Pan, Fengwen Chen, Guodong Long, Chengqi Zhang, and S Yu Philip. 2020. A comprehensive survey on graph neural networks. *IEEE transactions on neural networks and learning systems* 32, 1 (2020), 4–24.
- [148] Zhuoran Xiong, Xiao-Yang Liu, Shan Zhong, Hongyang Yang, and Anwar Walid. 2018. Practical deep reinforcement learning approach for stock trading. *arXiv preprint arXiv:1811.07522* (2018).
- [149] Ke Xu, Yifan Zhang, Deheng Ye, Peilin Zhao, and Mingkui Tan. 2020. Relation-Aware Transformer for Portfolio Policy Learning. In *Proceedings of the 29th International Joint Conference on Artificial Intelligence (IJCAI)*. 4647–4653.
- [150] Wentao Xu, Weiqing Liu, Chang Xu, Jiang Bian, Jian Yin, and Tie-Yan Liu. 2021. REST: Relational Event-driven Stock Trend Forecasting. In *Proceedings of the Web Conference 2021*. 1–10.
- [151] Yumo Xu and Shay B Cohen. 2018. Stock movement prediction from tweets and historical prices. In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (ACL)*. 1970–1979.
- [152] Hongyang Yang, Xiao-Yang Liu, Shan Zhong, and Anwar Walid. 2020. Deep reinforcement learning for automated stock trading: An ensemble strategy. *Available at SSRN* (2020).
- [153] Yunan Ye, Hengzhi Pei, Boxin Wang, Pin-Yu Chen, Yada Zhu, Ju Xiao, and Bo Li. 2020. Reinforcement-learning based portfolio management with augmented asset movement prediction states. In *Proceedings of the 34th AAAI Conference on Artificial Intelligence (AAAI)*. 1112–1119.
- [154] Pengqian Yu, Joon Sern Lee, Ilya Kulyatin, Zekun Shi, and Sakyasingha Dasgupta. 2019. Model-based deep reinforcement learning for dynamic portfolio optimization. *arXiv preprint arXiv:1901.08740* (2019).
- [155] Yuyu Yuan, Wen Wen, and Jincui Yang. 2020. Using data augmentation based reinforcement learning for daily stock trading. *Electronics* 9, 9 (2020), 1384.
- [156] Chuheng Zhang, Yuanqi Li, Xi Chen, Yifei Jin, Pingzhong Tang, and Jian Li. 2020. DoubleEnsemble: A new ensemble method based on sample reweighting and feature selection for financial data analysis. *arXiv preprint arXiv:2010.01265* (2020).
- [157] Dongsong Zhang and Lina Zhou. 2004. Discovering golden nuggets: Data mining in financial application. *IEEE Transactions on Systems, Man, and Cybernetics, Part C (Applications and Reviews)* 34, 4 (2004), 513–522.
- [158] Liheng Zhang, Charu Aggarwal, and Guo-Jun Qi. 2017. Stock price prediction via discovering multi-frequency trading patterns. In *Proceedings of the 23rd ACM SIGKDD International Conference on Knowledge Discovery & Data Mining (KDD)*. 2141–2149.
- [159] Tianping Zhang, Yuanqi Li, Yifei Jin, and Jian Li. 2020. AutoAlpha: An efficient hierarchical evolutionary algorithm for mining alpha factors in quantitative investment. *arXiv preprint arXiv:2002.08245* (2020).
- [160] Yifan Zhang, Peilin Zhao, Bin Li, Qingyao Wu, Junzhou Huang, and Mingkui Tan. 2020. Cost-sensitive portfolio selection via deep reinforcement learning. *IEEE Transactions on Knowledge and Data Engineering* (2020).
- [161] Zihao Zhang, Stefan Zohren, and Stephen Roberts. 2020. Deep reinforcement learning for trading. *The Journal of Financial Data Science* 2, 2 (2020), 25–40.
- [162] Muchen Zhao and Vadim Linetsky. 2021. High frequency automated market making algorithms with adverse selection risk control via reinforcement learning. In *Proceedings of the Second ACM International Conference on AI in Finance*. 1–9.

- [163] Yueyang Zhong, YeeMan Bergstrom, and Amy Ward. 2020. Data-driven market-making via model-free learning. In *Proceedings of the 29th International Joint Conference on Artificial Intelligence (IJCAI)*. 2327–2333.
- [164] Dawei Zhou, Lecheng Zheng, Yada Zhu, Jianbo Li, and Jingrui He. 2020. Domain adaptive multi-modality neural attention network for financial forecasting. In *Proceedings of the 29th Web Conference (WWW)*. 2230–2240.
- [165] Brian D Ziebart. 2010. *Modeling purposeful adaptive behavior with the principle of maximum causal entropy*. Carnegie Mellon University.